

# **Building product declaration 2015**

according to BPD associations' standardised format eBVD2015

FORMAT Ash/Oak/Walnut glazed

## 1. BASIC DATA

#### **Document data**

ld:	Version:	
B-556043-2337-47	1	
Created:	Last saved:	
2018-09-18 09:17:36	2018-09-18 09:20:25	
Changes relates to:		
FORMAT Ash/Oak/Walnut glazed		
Article name:		
FORMAT Ash/Oak/Walnut glazed		
Article No/ID concept		
Article identity: E		
ModelType0764, ProductGroup0121, ProductGroup0125		
Product group/Product group classification		
Product group/Product group classification  Product group system	Product group id	
Product group/Product group classification  Product group system  BK04	Product group id 04003	
Product group system		
Product group system		
Product group system BK04		
Product group system  BK04  Article description:		
Product group system  BK04  Article description:  Panel interior door with glass.	04003	
Product group system  BK04  Article description:  Panel interior door with glass.  Declarations of performance:	04003	
Product group system  BK04  Article description:  Panel interior door with glass.  Declarations of performance:  Not applicable  Other information:	04003	
Product group system  BK04  Article description:  Panel interior door with glass.  Declarations of performance:  Not applicable	04003	
Product group system  BK04  Article description:  Panel interior door with glass.  Declarations of performance:  Not applicable  Other information:	04003	
Product group system  BK04  Article description:  Panel interior door with glass.  Declarations of performance:  Not applicable  Other information:  JELD-WEN Sverige AB	Declaration of performance number:	
Product group system  BK04  Article description:  Panel interior door with glass.  Declarations of performance:  Not applicable  Other information:  JELD-WEN Sverige AB  Company name:	Declaration of performance number:  Organisation number:	
Product group system  BK04  Article description: Panel interior door with glass.  Declarations of performance: Not applicable  Other information:  JELD-WEN Sverige AB  Company name:  JELD-WEN Sverige AB	Declaration of performance number:  Organisation number:  556043-2337	

	PAlder@jeldwen.com	+372 5232497
	VAT number:	Website:
	SE556043233701	http://www.swedoor.se
	GLN:	DUNS:
		556043-2337
	Environmental certification system	
	BREEAM BREEAM-SE LEED 2009	LEED version 4 Miljöbyggnad (Swedish certifica
2.	SUSTAINABILITY WORK	<del>_</del>
	Company's certification	
	<b>✓</b> ISO 9001 ISO 14001	
	Other:	
	FSC NC-COC-012342: PEFC NC-PEFC/COC-000018	
	Pallatan and modelations	
	Policies and guidelines	
	The company has a code of conduct/policy/guidelines for dealing with s the requirements	social responsibility in the supplier chain, including produces for ensuring
	This is third-party audited	
	If yes, which if the following guidelines have you affiliated to or management s	system you have implemented
	UN guiding principles for companies and human rights	
	ILO's eight core conventions	
	OECD Guidelines for Multinational Enterprises	
	UN Global Compact	
	ISO 26000	
	Other policy guidelines	
	Managamantavatan	
	Management system	
	If you have a management system for corporate social responsibility, what ou	It of the following is included in the work?
	Mapping	
	Risk analysis	
	Action plan	
	Monitoring	
	Sustainability reporting guidelines:	

## 3. DECLARATION OF CONTENTS

### **Chemical content**

Enter chemical content for the whole article. The concentration is calculated at component level according to the principle of "once an article always an article".

Is there a safety data sheet for the article?

Is there classification of the article?

Not applicable			Not applicable		
Enter which version of	the candidate list has been used	l (Year, month, day)	For complex products, the concert been calculated at:	ntration of included	substances has
2017-07-07			whole construction product		
The article is covered b	y the RoHS Directive:		Enter the weight of the article:		
No					
Enter how large a prop	ortion of the material content ha	s been declared [%			
100					
If the article contains na	anomaterials deliberately added	to obtain a particular f	function, enter these here:		
Is the article registered	in Basta?		Enter the proportion of volatile org		g/litre], applies only
No			to sealants, paints, varnishes and	aunesives.	
Other information:					
Other information.					
Article and/or	sub-components				
Phase	Mounted				
			14. 1. 1.07. 6. 1. 4		
Component	Adhesive		Weight% of product	:<1	
Comment	WB adhesive PVAc				
Component	Edge		Weight% of product		
Comment					
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Hardwood		<1			
Component	Fittings		Weight% of product	:	
	9-		<b>9</b>		
Comment	0 % of stainless steel.				
Material	Substance	Concentration	EG/CAS/Alternative	Candidate	Phasing-out
		interval (%)	designation	list	substance
Chrome plated Steel		<2			
Component	Frame surface		Weight% of product		
Comment					
Material	Substance	Concentration	EG/CAS/Alternative	Candidate	Phasing-out
		interval (%)	designation	list	substance
Vancor Ash / Osla //Ala	lout				
Veneer Ash / Oak / Wa	iriut	<1			

Component	Frames		Weight% of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Solid wood: Pine		<16			
Component	Glass		Weight% of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Glass		<47			
Component	Glass frame		Weight% of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
Solid wood		<2			
Component	Intermediate layer		Weight% of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
HDF		<10			
Component	Paint		Weight% of product		
Comment					
Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
	Butylacetate	<0.28	123-86-4		
	Ethanol	<0.22	64-17-5		
	Ethylacetate	<0.21	141-78-6		
	Isobutyleret urea, polymer wi	tt<0.2	68002-18-6		
	propan-2-ol	<0.05	67-63-0		

CAS	H-phrase	Exposure
123-86-4	H226 - Flam. Liq. 3	
123-86-4	H336 - STOT SE 3	
64-17-5	H225 - Flam. Liq. 2	
141-78-6	H225 - Flam. Liq. 2	
141-78-6	H319 - Eye Irrit. 2	
141-78-6	H336 - STOT SE 3	
68002-18-6	H413 - Aquatic Chroinc 4	
67-63-0	H225 - Flam. Liq. 2	
67-63-0	H319 - Eye Irrit. 2	
67-63-0	H336 - STOT SE 3	
104-15-4	H302 - Acute Tox. 4	
104-15-4	H314 - Skin Corr. 1B	
104-15-4	H335 - STOT SE 3	

Component	Panel	anel Weight% of product			
Comment Material	Substance	Concentration interval (%)	EG/CAS/Alternative designation	Candidate list	Phasing-out substance
MDF		<19			

## 4. RAW MATERIALS

Raw materials

Component Material Transport type

Wooden frame Solid wood

Country of raw material extraction City of raw material extraction

Estonia n.a.

Country of manufacture/production City of manufacture/production

Estonia n.a

Comment

Component Material Transport type

Panel MDF

Country of raw material extraction City of raw material extraction

Germany n

Country of manufacture/production City of manufacture/production

Denmark n.a

Comment

Component Material Transport type

Glas frame Solidwood

Country of raw material extraction City of raw material extraction

Estonia n.a

Country of manufacture/production City of manufacture/production

Estonia n.a

Comment

Component Material Transport type

Edge Solidwood

Country of raw material extraction City of raw material extraction

Croatia n.a

Country of manufacture/production City of manufacture/production

Italy n.a

Comment

Component Veneer	<b>Material</b> Solidwood veneer	Transport type
Country of raw material extraction United States of America		City of raw material extraction n.a
Country of manufacture/production		City of manufacture/production n.a
Comment		
Component Intermediate layer	<b>Material</b> HDF	Transport type
	ПИГ	
	nur	City of raw material extraction n.a
Germany  Country of manufacture/production	nur	
Country of raw material extraction  Germany  Country of manufacture/production  Germany  Comment	nur	n.a  City of manufacture/production

### Total recycled material in the article

Is recycled material included in the article?

Enter proportion of renewable material in the article (short cycle, less than 10 years):	Enter proportion of renewable material in the article (long cycle, more than 10 years):
Included biobased raw material is tested according to ASTM test r	method D6866:
Is there supporting documentation for the raw materials for third-party ce recycling processes or similar (for example BES 6001:2008, EMS certific	ertified system for control of origin, raw material extraction, manufacturing or cate USGBC Program)? If yes, enter system(s):
E1 certificate for wooden boards.	
Wood raw materials	
✓ Wood raw materials are included	Included wood raw material is certified
How large a proportion is certified [%]?	
70	
What certification system has been used (for example FSC, CSA, SFI wi	th CoC, PEFC)?
PEFC	
Reference number:	
NC-PEFC/COC-000018	
Enter logging country for the wood raw material and that following criteria	a have been met. Country of logging:
Estonia, Croatia; USA; Germany	
Does not contain type of wood or origin in CITES appendix of end	angered species
The timber has been logged legally and there is certification for th	is
ENVIRONMENTAL IMPACT	
Environmental impact during life cycle of the	article, production phase module A1-A3 under E
Has environmental product declaration been drawn up according	to EN 15804 or ISO 14025 for the article?
These product-specific rules, known as PCR, have been applied:	Registration number / ID number for EPD:
Climate impact (GWP100) [kg CO2-eq]:	Ozone depletion (ODP) [kg CFC 11-eq]:
Acidification (AP) [kg SO2-eq]:	Ground-level ozone (POCP) [kg ethene-eq]:
Eutrophication (EP) [kg (PO4)-3-eq]:	Renewable energy [MJ]:
Non-renewable energy [MJ]:	If calculation has been made in Green Guide, enter which rating:
If there is environmental product declaration or other life cycle assessme from a life cycle perspective:	ent, describe how the environmental impact of the article is taken into accoun

Residues:
Steel code 200140 >95 % recycled
Cardboard, packing material 150101 >95% recycled
Plastic material > 95% recycled
Wooden material > 99% energy recycled

### 6. DISTRIBUTION

### Distribution of finished article

Does the supplier apply any system with multiple-use packaging for the Does the supplier use Retursystem Byggpall? article? No No Does the supplier take back packaging for the article? Is the supplier affiliated to a system for product responsibility for packaging? Yes No If yes, which packaging and which system? FTI Other information: 7. CONSTRUCTION PHASE **Construction phase** Does the article make special requirements in storage? Yes Specify Storage in dry area., no requirements for temperature. Does the article make special requirements for surrounding building products? No Specify

Other information:

## 8. USE PHASE

### Use phase

9.

Does the article make requirements for input materials for operation and maintenance?	
Not applicable	
Specify:	
Does the article require supply of energy during operation?	
Not applicable	
Specify:	
Estimated technical service life for the article:	
25 years	
Comment:	
Is there energy labelling under the Energy Labelling Directive (2010/30/EU) for the article?	If yes, enter labelling (G to A, A+, A++, A+++):
No	
Other information:	
DEMOLITION	
Demolition	
Is the article prepared for disassembly (dismantling)?	
Yes	
Specify:	
Fittings and glass if relevant.	
Does the article require special measures for protection of health and environment in demolition/disassembly?	
No	
Specify:	
Other information:	

## **10. WASTE MANAGEMENT**

### **Delivered article**

Is the supplied article covered by the Ordinance (2014:1075) on producer responsibility for electrical and electronic products when it becomes waste?
No
Is reuse possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
Fittings
Is material recovery possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
Fittings and glass
Is energy recovery possible for the whole or parts of the article when it becomes waste?
Yes
Specify:
Wooden based heating systems.
Does the supplier have restrictions and recommendation for re-use, material or energy recovery or landfilling?
Not applicable
Specify:
Waste code for the delivered article when it becomes waste
1702 - 02 Trä, glas och plast:
When the supplied article becomes waste, is it classified as hazardous waste?
No
Mounted article
Is the mounted article classified as hazardous waste?
No
Other information

#### Other information

## 11. INDOOR ENVIRONMENT

### **Indoor environment**

The article is not intended for indoor use				
The article does not produce any emissions	3			
Emissions from the article not measured				
Described by a spiritual majeture etete?				
Does the article have a critical moisture state?				
No				
If yes, state what:				
Noise	Electrical field	Magnetic fields		
110130	Licotrical field	magnotio notao		
Can the article give rise to own noise?	Can the article give rise to electrical fields?	Can the article give rise to magnetic fields?		
Not applicable	Not applicable	Not applicable		
Value:	Value:	Value:		
Unit:	Unit:	Unit:		
Measuring method:	Measuring method:	Measuring method:		
P. C. de and anniabae				
Paints and varnishes				
The article is resistant to fungi and algae in use in wet areas				
The article is resistant to fungi and algae in use in wet areas				
	use in wet areas			
The article is resistant to fungi and algae in  Emissions	use in wet areas			
Emissions  The article produces the following emissions in interest of the following emissions in the following emissions in the following emission emiss				
Emissions  The article produces the following emissions in into the article produces the following emissions in the article produces the following emissions in the article produces the articl				
Emissions  The article produces the following emissions in integration:  Type of emission:  TVOC				
Emissions The article produces the following emissions in int  Type of emission:  TVOC  Measuring point 1:				
Emissions The article produces the following emissions in interpretation:  Type of emission:  TVOC  Measuring point 1:  Measuring method/standard:				
Emissions The article produces the following emissions in int  Type of emission:  TVOC  Measuring point 1:	ended use:	terval:		
Emissions  The article produces the following emissions in interpretation:  Type of emission:  TVOC  Measuring point 1:  Measuring method/standard:  EN ISO 16000-6:2011		terval:		
Emissions  The article produces the following emissions in into the article produces the article	ended use:	terval:		
Emissions  The article produces the following emissions in into the article produces t	ended use:	terval:		
Emissions  The article produces the following emissions in into the article produces the article	ended use:	terval:		
Emissions  The article produces the following emissions in interpretation:  Type of emission:  TVOC  Measuring point 1:  Measuring method/standard:  EN ISO 16000-6:2011  Result:  <9 µg/m3  Measuring point 2:  Measuring method/standard:	Measuring in 28 days			
Emissions  The article produces the following emissions in into the article produces t	ended use:			

Type of emission:		
TVOC		
Measuring point 1:		
Measuring method/standard:		
EN ISO 16000-6:2004		
Result:	Measuring interval:	
=230 µg/m2h	28 days	
Measuring point 2:		
Measuring method/standard:		
Result:	Measuring interval:	
Type of emission:		
Formaldehyde		
Measuring point 1:		
Measuring method/standard:		
EN ISO 16000-3:2011		
Result:	Measuring interval:	
<50 μg/m2h	28 days	
Measuring point 2:		
Measuring method/standard:		
Result:	Measuring interval:	
Type of emission:		
Formaldehyde		
Measuring point 1:		
Measuring method/standard:		
EN ISO 16000-3:2011		
Result:	Measuring interval:	
<5 μg/m3	28 days	
Magazzing point 2:		
Measuring point 2:  Measuring method/standard:		
measuring memou/standard.		
Result:	Measuring interval:	

### Other information